

# Technical Specification

**Pawā® PG520** (PG52012-4)

## Heat & Cut-Resistant Gloves

**Sizes Available:** Medium / Large / XLarge

**Per Bag:** 12x Pairs

**Per Carton:** 120x Pairs

### Glove Details:

The Pawā® PG520 is a high performance, multi-fibre cut resistant glove. Its robust yet flexible design offers grip in abundance as well as cut-resistance. The PG520 is also resistant to contact heat, with an EN 407:2020 Level 2 rating – making it the ideal solution for demanding work.

### Selected Features:

- ... Superior Cut Level E performance and grip
- ... Ergonomic design for wearer comfort
- ... Tough yet flexible coating allows for enhanced grip and ease of movement
- ... Level 2 protection against intermittent heat contact up to 250°C
- ... Extended cuff provides added protection
- ... No silicone detected

EN ISO Cut Level **E**



### Glove Benefits:



Excellent Grip



DuPont® Kevlar® Fibre



Anti-Cut



Contact Heat Resistance



### Glove Standards & Conformity:



EN388:2016+A1:2018  
3-X-4-2-E



EN407:2020  
X-2-X-X-X-X

3	Abrasion
X	Blade Cut
4	Tear
2	Puncture
E	ISO Cut

X	Burning Behaviour
2	Contact Heat
X	Convective Heat
X	Radiant Heat
X	Small Splashes Molten Metal
X	Large Splashes Molten Metal

**CE** CAT II New PPE Regulation (EU) 2016/425 applies

# Technical Specification

**Pawā® PG520** (PG52012-4)

**Heat & Cut-Resistant Gloves**



## Glove Technologies:

**PawāGRIP™**

Using advanced or textured finishes, grip has been enhanced to cope with demanding work environments.

**PawāSHIELD™**

Heat shield performance supplied through advanced liner raw materials and grip technology.

**PawāEDGE™**

Anti-cut yarn technology that not only protects but provides extreme levels of comfort and performance in demanding conditions.



## Glove Applications:

Industry

Aerospace, Automotive, Construction, Engineering, Glass, Manufacturing, Metal Fabrication, Refuse & Recycling, Scrapyard

Tasks

Cutting Tool Handling, Dry Handling, Fabrication & Assembly, Glass & Metal Handling, Light Metal Fabrication & Stamping, Sharp Parts Handling

## Glove Materials:

Liner: DuPont® Kevlar® / Steel / Glass Fibre

Coating: Latex Crinkle

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.

## Product Codes:

Code	Size	Colour
PG52012	Medium	
PG52013	Large	
PG52014	XLarge	

"Pawā" and "Supertouch" are registered trademarks of:  
Allied International Trading Ltd  
Unit 3 Rabone Park, Rabone Lane  
Smethwick, West Midlands, B66 2NN