

Technical Specification

Pawā® PG630 (PG63011-5)

Chemical Gloves



Sizes Available: Small / Medium / Large / XLarge / 2XL

Per Bag: 1 Pair per Retail Bag

Per Carton: 72x Pairs

Glove Details:

With outstanding Type A chemical resistance, the PAWA PG630 is the perfect choice for tough environments. A PVC triple coating affords heavy duty durability while the sandy palm dip provides exceptional grip. Their ergonomic design, maximum level abrasion resistance, anti-static properties and contact heat protection makes these gloves the ultimate in all-round performance.

Selected Features:

- Pawā®DRY™ Oil Repellent Chemical Resistant Triple PVC Coating
- Pawā®GRIP™ Enhanced Sandy Grip for Oily Environments
- Pawā®LIFE™ Heavy Duty Durability
- Pawā®SHIELD™ Contact heat resistance to 100°C
- Silvadur™ treated cotton liner improves hygiene and neutralises odour-creating bacteria
- CAT III Complex Design
- Length of 30 cm ensures enhanced protection
- Conforms to EN 388:2016
- Conforms to EN 374-1:2016 Type A
- Conforms to EN 374-5:2016
- Conforms to EN 407:2020 Levels X-1-X-X-X-X
- Anatomically formed to reduce hand fatigue
- Anti-static EN 16350:2014
- Food Contact Approved



Glove Benefits:

- Excellent Grip
- Water-Repellency
- Oil-Resistant
- Bacteria & Fungi
- Contact Heat Resistance
- Anti-Static
- Food Safe

Glove Standards & Conformity:

EN388:2016 4-2-4-1-X	EN407:2020 X-1-X-X-X-X
4 Abrasion	X Burning
2 Blade Cut	1 Contact Heat
4 Tear	X Convective Heat
1 Puncture	X Radiant Heat
X ISO Cut	X Small Splashes
	X Large Splashes

	EN ISO 374-1:2016+A1:2018	Levels	Degradation
J	n-Heptane	3	27.8%
K	40% Sodium Hydroxide	6	18.9%
L	96% Sulphuric Acid	4	19.2%
M	65% Nitric Acid	4	22.3%
P	30% Hydrogen Peroxide	6	3.9%
T	37% Formaldehyde	4	16.7%

Technical Specification

Pawā® PG630 (PG63011-5)

Chemical Gloves



Glove Technologies:

- PawāGRIP™** Using advanced or textured finishes, grip has been enhanced to cope with demanding work environments.
- PawāDRY™** Dual layered coating providing effective repellence to oils and water safeguarding wearer hand health.
- PawāSHIELD™** Heat shield performance supplied through advanced liner raw materials and grip technology.
- PawāLIFE™** Designed for durability against heavy duty activity and repetitive forces to prolong glove life - optimising lifetime cost.



Glove Applications:

- Industry** Chemical, Pharmaceutical, Oil & Gas, Automotive, Manufacturing, Metal processing, Construction, Municipal Services.
- Tasks** Cleaning, chemical handling, wet handling tasks, food handling.

Glove Materials:

Liner:	13G Polyester Cotton Liner
Coating:	PVC Triple Coating

Product Codes:

Code	Size	Colour
PG63011	Small	
PG63012	Medium	
PG63013	Large	
PG63014	XLarge	
PG63015	2XLarge	

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.

"Pawā" and "Supertouch" are registered trademarks of:
 Allied International Trading Ltd
 Unit 3 Rabone Park, Rabone Lane
 Smethwick, West Midlands, B66 2NN