

# Customer Information Sheet



## Pawā® PG820

### Rigger Gloves

Product Code:

21053

Sizes Available:

One Size

#### STANDARDS & CONFORMITY:

Conforms to EN ISO 21420:2020 Sizing & Dexterity - PASS  
Conforms to EN 388:2016+A1:2018 Mechanical Hazards

Certification Body: INTERTEK Italia S.p.A, Via Guido Miglioli, 2/A, 20063 Cernusco sul Naviglio MI, Italy  
Notified Body: 2575

These products are classed as Personal Protective Equipment by the PPE Regulation (EU) 2016/425

#### CAREFULLY READ INSTRUCTIONS BEFORE USE

This product is designed to provide protection against: Mechanical Risks, Thermal Risks and Welding. No item of PPE can provide full protection - care must always be taken whilst carrying out the activity.

#### BS EN ISO 21420:2020 Protective Gloves – General Requirements

Fitting & Sizing: Only wear products of a suitable size. Products which are either too loose or too tight will restrict movement and will not provide the optimum level of protection.

Storage & Transport: Store the product in a well ventilated area away from extremes of temperature & strong odours.

Inspection Before & After Use: Discard and replace damaged products before use. If in doubt consult manufacturer.

Cleaning: It is recommended that this product should not be washed or dry-cleaned.

#### EN 388:2016

#### Protective Gloves Against Mechanical Risks

Test	Level Achieved	Maximum Level
Abrasion Resistance	4	(4)
Blade Cut Resistance	1	(5)
Tear Resistance	4	(4)
Puncture Resistance	3	(4)
ISO Cut Level	A	A-F

Note: Performance levels apply to the palm area of the hand.

Warning: These gloves will not prevent crushing injuries, or injuries associated with vibration. They are not to be worn when there is a risk of entanglement by moving parts of machinery.

Note: This product contains no harmful substances

Note: Level X means "Not tested" or "Not applicable"

EN388:2016  
+A1:2018



4143A

To find declaration of conformity documentation search for your desired product at - [www.pawaworkwear.com](http://www.pawaworkwear.com)